

Tubeo retangular de aço inox

ESPECIFICAÇÕES TÉCNICAS

Espessuras das paredes (mm) e Pesos por Metro (Kg/m)

Bitola	1,00	1,20	1,50	2,00	2,50	3,00
20x10	0,454	0,538	0,662	0,857	1,040	1,210
25x15	0,613	0,730	0,901	1,176	1,439	1,689
30x10	0,613	0,730	0,901	1,176	1,439	1,689
30x15	0,693	0,826	1,021	1,336	1,638	1,928
30x20	0,773	0,921	1,140	1,495	1,838	2,168
35x15	0,773	0,921	1,140	1,495	1,838	2,168
35x20	0,853	1,017	1,260	1,655	2,037	2,407
35x25	0,932	1,113	1,380	1,815	2,237	2,646
40x10	0,773	0,921	1,140	1,495	1,838	2,168
40x15	0,853	1,017	1,260	1,655	2,037	2,407
40x20	0,932	1,113	1,380	1,815	2,237	2,646
40x30	1,092	1,304	1,619	2,134	2,636	3,125
50x10	0,932	1,113	1,380	1,815	2,237	2,646
50x15	1,012	1,209	1,499	1,974	2,436	2,886
50x20	1,092	1,304	1,619	2,134	2,636	3,125
50x25	1,172	1,400	1,739	2,293	2,835	3,365
50x30	1,252	1,496	1,859	2,453	3,035	3,604
50x40	1,411	1,687	2,098	2,772	3,434	4,083
60x10	1,092	1,304	1,619	2,134	2,636	3,125
60x20	1,252	1,496	1,859	2,453	3,035	3,604
60x30	1,411	1,687	2,098	2,772	3,434	4,083
60x40	1,571	1,879	2,337	3,091	3,833	4,562
70x20	1,411	1,687	2,098	2,772	3,434	4,083
70x25	1,491	1,783	2,218	2,932	3,633	4,322
70x30	1,571	1,879	2,337	3,091	3,833	4,562
70x50	1,890	2,262	2,816	3,730	4,631	5,519
75x25	1,571	1,879	2,337	3,091	3,833	4,562

Espessuras das paredes (mm) e Pesos por Metro (Kg/m)

Bitola	1,00	1,20	1,50	2,00	2,50	3,00
80x20	1,571	1,879	2,337	3,091	3,833	4,562
80x40	1,890	2,262	2,816	3,730	4,631	5,519
80x60	2,209	2,645	3,295	4,368	5,429	6,477
90x30	1,890	2,262	2,816	3,730	4,631	5,519
90x50	2,209	2,645	3,295	4,368	5,429	6,477
100x40	2,209	2,645	3,295	4,368	5,429	6,477
100x50	2,369	2,836	3,534	4,687	5,828	6,956
100x60	2,528	3,028	3,774	5,006	6,227	7,434
150x50	3,794	3,784	4,731	6,283	7,823	9,349