

Tube schedule de aço inox

ESPECIFICAÇÕES TÉCNICAS

Diâmetro	Espessuras das paredes (mm) e Pesos por Metro (Kg/m)					
	SCH 05s	SCH 10s	SCH 40s	SCH 80s	SCH 160s	SCH XXS

Nominal	Externo	Parede	Peso	Parede	Peso	Parede	Peso	Parede	Peso	Parede	Peso	Parede	Peso
1/8"	10,29	-	-	1,24	0,282	1,73	0,372	2,41	0,477	-	-	-	-
1/4"	13,72	-	-	1,65	0,501	2,24	0,646	3,02	0,812	3,30	0,864	-	-
3/8"	17,15	-	-	1,65	0,643	2,31	0,862	3,20	1,122	4,75	1,480	-	-
1/2"	21,34	1,65	0,817	2,11	1,020	2,77	1,293	3,73	1,651	4,78	1,989	7,47	2,604
3/4"	26,67	1,65	1,038	2,11	1,302	2,87	1,717	3,91	2,237	5,56	2,950	7,82	3,705
1"	33,40	1,65	1,317	2,77	2,132	3,38	2,550	4,55	3,299	6,36	4,322	9,09	5,554
1.1/4"	42,16	1,65	1,680	2,77	2,742	3,56	3,454	4,85	4,548	6,35	5,715	9,70	7,913
1.1/2"	48,26	1,65	1,933	2,77	3,167	3,68	4,123	5,08	5,513	7,14	7,379	10,16	9,729
2"	60,33	1,65	2,433	2,77	4,007	3,91	5,544	5,54	7,629	8,74	11,332	11,07	13,705
2.1/2"	73,03	2,11	3,761	3,05	5,364	5,16	8,802	7,01	11,631	9,52	15,196	14,02	20,793
3"	88,90	2,11	4,602	3,05	6,581	5,49	11,509	7,62	15,566	11,13	21,754	15,24	28,214
3.1/2"	101,60	2,11	5,276	3,05	7,554	5,74	13,829	8,08	18,991	-	-	16,15	34,684
4"	114,30	2,11	5,949	3,05	8,528	6,02	16,383	8,56	22,749	13,49	34,179	17,12	41,814
5"	141,30	2,77	9,644	3,40	11,784	6,55	22,183	9,53	31,561	15,88	50,056	19,05	58,531
6"	168,28	2,77	11,522	3,40	14,089	7,11	28,800	10,97	43,371	18,26	68,848	21,95	80,725
8"	219,08	2,77	15,059	3,76	20,348	8,18	43,358	12,70	65,874	23,01	113,388	22,23	109,981
10"	273,05	3,40	23,042	4,19	28,313	9,27	61,456	12,70	83,100	28,57	175,547	25,40	158,093
12"	323,85	3,96	31,837	4,57	36,672	9,23	75,285	12,70	99,315	33,32	243,297	25,40	190,522
14"	355,60	3,96	34,997	4,78	42,146	-	-	-	-	-	-	-	-
16"	406,40	4,20	42,455	4,78	48,249	-	-	-	-	-	-	-	-
18"	457,20	4,20	47,818	4,75	54,014	-	-	-	-	-	-	-	-
20"	508,00	4,78	60,454	5,54	69,960	-	-	-	-	-	-	-	-
22"	558,80	4,78	66,557	5,54	77,034	-	-	-	-	-	-	-	-
24"	609,60	5,54	84,107	6,35	96,275	-	-	-	-	-	-	-	-